



STC Test Report

Date : 2014-10-30

Page 1 of 9

No. : DE112780

Applicant (SZS005) : SHEN ZHEN S-TECH LIGHTING CO., LTD
5/F, Bldg A, QiaoHongSheng Industrial Park,
Yin Tian Manufacturing District, XiXiang Town,
Bao'an Area, ShenZhen, China

Description of Sample(s) : Submitted sample(s) said to be
Product: Stadium Tower Light
Brand name: S-Tech
Model No.: FLA-SC100W V12
Electrical rating: AC 100-240V 50/60Hz, 100W
Quantity submitted: 1 piece
Country of origin: China
Country of destination: Not provided
Manufacturer: SHEN ZHEN S-TECH LIGHTING CO., LTD

Date Sample(s) Received : 2014-10-22

Date Tested : 2014-10-22

Investigation Requested : Luminous Intensity Distribution Measurements

Test Method : Referred to IES LM-79-08 Electrical and Photometric
Measurements of Solid-State Lighting Products.

Conclusion(s) : See the test data in following pages

Remark(s) : --

LI Chang Jun, Ricky
Authorized Signatory
Electrical Safety Department
For and on behalf of
STC (Dongguan) Company Limited

STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report

Date : 2014-10-30


Page 2 of 9

No. : DE112780

TEST DATA

LUMINAIRE PHOTOMETRIC TEST REPORT

Test:U:240.1V I:0.4239A P:97.66W PF:0.9594 Lamp Flux:7425.44x1 lm		
NAME: Stadium Tower light	SUR.:260mm	
MFR.: SHEN ZHEN S-TECH LIGHTING CO., LTD		



DATA OF LAMP		Eff:76.03lm/W	
MODEL	FLA-SC100W V12	Imax(cd)	86612
NOMINAL POWER(W)	100	AVAILABILITY(%)	72.4
RATED VOLTAGE(V)	100-240	Avai. FLUX(lm)	5379
NOMINAL FLUX(lm)	7425.44	LOR(%)	100.0
LAMPS INSIDE	1	TOTAL FLUX(lm)	7425
TEST VOLTAGE(V)	240	θ @50%(H,V)	15,14DEG

VERTICAL(DEG)	AREA FLUX DIAGRAM																UNIT:lm		Φ t	Φ a
	0.00	0.01	0.03	0.05	0.08	0.11	0.14	0.17	0.19	0.20	0.17	0.14	0.11	0.08	0.05	0.03	0.01	0.00		
90	0.00	0.01	0.03	0.05	0.08	0.11	0.14	0.17	0.19	0.20	0.17	0.14	0.11	0.08	0.05	0.03	0.01	0.00	1.59	0.00
80	0.01	0.03	0.10	0.21	0.38	0.59	0.80	0.99	1.11	1.11	0.99	0.79	0.60	0.40	0.22	0.10	0.03	0.00	8.48	0.00
70	0.01	0.06	0.23	0.53	1.00	1.58	2.19	2.70	3.05	3.07	2.73	2.21	1.62	1.03	0.54	0.23	0.06	0.01	22.8	0.00
60	0.01	0.11	0.41	0.99	1.87	2.97	4.20	5.36	6.23	6.33	5.55	4.31	3.03	1.94	1.00	0.40	0.11	0.01	44.8	0.00
50	0.01	0.16	0.63	1.55	2.96	4.98	7.28	9.24	11.0	11.4	9.93	7.61	5.10	3.01	1.56	0.62	0.16	0.01	77.2	0.00
40	0.02	0.21	0.86	2.13	4.30	7.47	11.7	16.7	19.6	19.7	17.3	12.1	7.73	4.45	2.14	0.85	0.21	0.02	127	0.00
30	0.02	0.26	1.05	2.71	5.65	10.5	18.3	19.4	21.9	22.1	19.3	17.3	11.1	5.90	2.75	1.05	0.25	0.02	160	0.00
20	0.02	0.29	1.20	3.19	6.69	14.3	18.7	35.2	121	123	35.3	18.3	14.7	7.08	3.27	1.20	0.28	0.02	403	82.4
10	0.02	0.31	1.28	3.49	7.54	16.3	21.0	129	1210	1283	137	21.0	15.9	7.73	3.52	1.29	0.30	0.02	2859	2589
0	0.02	0.31	1.28	3.51	7.67	16.7	20.9	123	1203	1296	137	21.0	15.8	7.53	3.50	1.29	0.30	0.02	2859	2602
-10	0.02	0.29	1.19	3.25	7.12	15.4	18.8	33.7	125	132	34.6	18.7	14.8	6.88	3.23	1.22	0.28	0.02	417	105
-20	0.02	0.25	1.04	2.82	6.11	11.3	18.6	19.6	22.2	22.2	19.6	18.7	11.2	5.96	2.77	1.08	0.25	0.02	164	0.00
-30	0.02	0.20	0.86	2.24	4.56	7.83	12.1	17.7	20.0	19.6	17.3	12.1	7.71	4.51	2.21	0.88	0.21	0.02	130	0.00
-40	0.01	0.15	0.64	1.63	3.10	5.11	7.28	9.18	10.6	10.5	9.03	7.15	5.08	3.08	1.63	0.65	0.16	0.01	75.0	0.00
-50	0.01	0.11	0.42	1.04	1.99	3.02	4.20	5.30	5.93	5.91	5.25	4.18	3.01	1.97	1.04	0.42	0.11	0.01	43.9	0.00
-60	0.01	0.07	0.24	0.56	1.06	1.61	2.15	2.60	2.87	2.88	2.62	2.15	1.57	1.03	0.56	0.24	0.06	0.01	22.3	0.00
-70	0.01	0.03	0.11	0.24	0.41	0.60	0.78	0.94	1.05	1.05	0.96	0.78	0.58	0.39	0.23	0.10	0.03	0.00	8.30	0.00
-80	0.00	0.01	0.03	0.06	0.09	0.12	0.15	0.17	0.19	0.19	0.17	0.15	0.11	0.08	0.06	0.03	0.01	0.00	1.64	0.00
-90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 50 60 70 80 90																				
Φ t	0.26	2.86	11.6	30.2	62.6	120	169	432	2785	2961	454	168	120	63.1	30.3	11.7	2.82	0.23	7425	---
Φ a	0.00	0.00	0.00	0.00	0.00	0.00	0.00	93.7	2485	2673	127	0.00	0.00	0.00	0.00	0.00	0.00	0.00	---	5379

one-half-peak spread: U:7.4,D:7.1 , L:7.2,R:7.5

NEMA Beam Type: Type 2

STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report


Date : 2014-10-30

Page 3 of 9

No. : DE112780

TEST DATA

ISOCANDELA DIAGRAM



STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.




STC Test Report

Date : 2014-10-30

Page 4 of 9

No. : DE112780

TEST DATA ISOLUX DIAGRAM



STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report


Date : 2014-10-30

Page 5 of 9

No. : DE112780

TEST DATA

AAI Figure



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.




STC Test Report

Date : 2014-10-30

Page 6 of 9

No. : DE112780

TEST DATA



STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.

For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report

Date : 2014-10-30

Page 7 of 9

No. : DE112780

TEST DATA

LUMINOUS DISTRIBUTION INTENSITY DATA

Table--1

UNIT: ×10cd

H(°) \ V(°)	-90	-85	-80	-75	-70	-65	-60	-55	-50	-45	-40	-35	-30	-25	-20	-15	-10	-5	0
-180	0.03	0.00	0.10	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.03	0.03	0.05
-170	0.03	0.00	0.10	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.06	0.16	0.25	0.28	0.30
-160	0.03	0.00	0.10	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.04	0.06	0.07	0.08
-150	0.03	0.00	0.09	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.01
-140	0.03	0.00	0.04	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-130	0.03	0.00	0.00	0.10	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-120	0.03	0.00	0.00	0.04	0.08	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-110	0.03	0.00	0.00	0.00	0.01	0.06	0.04	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-100	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-90	0.03	0.02	0.02	0.02	0.02	0.03	0.04	0.04	0.05	0.06	0.06	0.06	0.06	0.06	0.07	0.07	0.07	0.08	0.08
-80	0.03	0.12	0.19	0.29	0.38	0.48	0.59	0.71	0.84	0.93	1.02	1.13	1.23	1.31	1.37	1.44	1.49	1.55	1.58
-70	0.03	0.19	0.37	0.57	0.89	1.23	1.65	2.12	2.62	3.13	3.59	4.01	4.43	4.84	5.22	5.57	5.84	6.01	6.07
-60	0.03	0.28	0.55	1.01	1.63	2.43	3.33	4.34	5.62	6.90	8.07	9.09	10.1	11.0	11.9	12.7	13.2	13.5	13.7
-50	0.03	0.36	0.81	1.49	2.55	3.98	5.61	7.50	9.64	11.5	13.5	15.6	17.9	20.4	22.5	24.2	25.4	26.3	26.6
-40	0.03	0.42	1.05	2.05	3.54	5.65	8.31	10.9	13.8	17.5	21.5	25.9	29.5	32.6	36.4	40.8	46.2	50.8	52.1
-30	0.03	0.48	1.28	2.60	4.47	7.16	10.5	14.2	19.0	24.5	30.8	36.2	44.4	59.7	70.0	71.0	67.7	65.6	65.1
-20	0.03	0.53	1.49	3.07	5.43	8.40	12.0	17.1	23.4	31.7	38.4	54.5	72.8	69.5	63.3	69.9	87.8	103	110
-10	0.03	0.56	1.65	3.41	6.10	9.35	13.5	19.1	25.9	33.4	45.9	70.0	70.5	65.6	88.2	163	517	1305	2048
0	0.03	0.58	1.72	3.56	6.39	9.74	14.0	19.9	27.1	34.8	51.3	72.2	67.0	71.9	124	387	2104	6321	8661
10	0.03	0.56	1.66	3.45	6.19	9.40	13.4	18.9	25.7	32.3	43.4	66.2	68.5	65.5	90.0	189	478	1291	2053
20	0.03	0.53	1.50	3.14	5.62	8.53	12.0	16.6	22.5	29.0	34.8	48.5	69.4	69.6	63.6	69.8	85.5	104	111
30	0.03	0.48	1.29	2.69	4.67	7.27	10.2	13.6	17.9	23.0	28.5	34.4	42.9	57.7	68.9	69.7	67.1	66.5	65.9
40	0.03	0.42	1.05	2.14	3.60	5.64	7.91	10.4	13.2	16.6	20.5	24.7	29.2	33.0	35.3	38.3	42.6	47.5	50.5
50	0.03	0.36	0.78	1.53	2.57	3.84	5.42	7.17	9.02	10.9	13.1	15.5	17.8	20.1	22.4	24.6	26.8	28.3	29.2
60	0.03	0.28	0.55	0.98	1.62	2.36	3.18	4.13	5.34	6.52	7.65	8.84	10.0	11.1	12.0	12.9	13.8	14.4	14.5
70	0.03	0.19	0.37	0.55	0.82	1.16	1.56	2.01	2.45	2.94	3.44	3.98	4.51	5.00	5.43	5.83	6.14	6.29	6.34
80	0.03	0.11	0.19	0.28	0.36	0.44	0.52	0.62	0.72	0.82	0.93	1.06	1.18	1.28	1.38	1.49	1.59	1.65	1.69
90	0.03	0.03	0.03	0.03	0.02	0.02	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.02	0.01	0.01	0.01
100	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
110	0.03	0.00	0.00	0.00	0.00	0.05	0.04	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
120	0.03	0.00	0.00	0.02	0.08	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
130	0.03	0.00	0.00	0.10	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
140	0.03	0.00	0.02	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
150	0.03	0.00	0.08	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
160	0.03	0.00	0.10	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01
170	0.03	0.00	0.10	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.03	0.03
180	0.03	0.00	0.10	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.03	0.03	0.05

STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report

Date : 2014-10-30

Page 8 of 9

No. : DE112780

TEST DATA

LUMINOUS DISTRIBUTION INTENSITY DATA

Table--2

UNIT: ×10cd

H(DEG) V(DEG)	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	
-180	0.13	0.20	0.18	0.09	0.03	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.13	0.00	0.01	
-170	0.30	0.25	0.15	0.06	0.02	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.11	0.00	0.01	
-160	0.08	0.06	0.04	0.02	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.06	0.00	0.01	
-150	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.01	0.00	0.01	
-140	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.09	0.00	0.00	0.01	
-130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.08	0.00	0.00	0.01	
-120	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.10	0.00	0.00	0.00	0.01	
-110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.06	0.02	0.00	0.00	0.00	0.00	0.01	
-100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	
-90	0.08	0.08	0.07	0.07	0.05	0.03	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.02	0.02	0.02	0.01	
-80	1.56	1.52	1.47	1.39	1.29	1.19	1.08	0.97	0.89	0.80	0.67	0.53	0.42	0.32	0.23	0.14	0.08	0.01	
-70	6.04	5.92	5.66	5.31	4.84	4.34	3.89	3.47	3.05	2.58	2.10	1.64	1.20	0.86	0.52	0.29	0.13	0.01	
-60	13.5	13.2	12.6	11.9	10.9	10.00	8.93	7.93	6.80	5.52	4.34	3.36	2.46	1.65	0.98	0.48	0.19	0.01	
-50	26.3	25.5	24.2	22.3	20.2	18.0	15.7	13.5	11.4	9.61	7.56	5.59	3.99	2.63	1.52	0.76	0.26	0.01	
-40	49.8	44.9	39.8	35.0	31.7	28.8	25.4	21.3	17.3	13.7	10.8	8.39	5.72	3.66	2.13	1.00	0.33	0.01	
-30	64.9	65.5	69.6	71.2	61.7	44.8	35.5	30.6	24.2	18.5	13.9	10.5	7.46	4.63	2.68	1.23	0.40	0.01	
-20	104	87.3	72.1	63.6	67.7	72.0	53.6	36.7	30.4	23.1	16.8	12.2	8.75	5.52	3.11	1.44	0.44	0.01	
-10	1472	582	166	90.5	66.4	66.8	66.2	44.6	32.4	25.8	19.0	13.4	9.56	6.09	3.37	1.57	0.47	0.01	
0	6627	2192	361	117	72.8	64.7	67.9	50.5	34.4	26.9	19.9	13.9	9.83	6.27	3.44	1.61	0.48	0.01	
10	1352	497	185	90.5	66.6	64.8	66.4	47.5	34.0	26.2	19.2	13.5	9.47	6.06	3.35	1.58	0.48	0.01	
20	103	86.5	71.1	62.8	64.4	66.8	53.1	38.1	30.0	23.2	17.0	12.1	8.56	5.47	3.09	1.45	0.45	0.01	
30	65.7	67.1	68.6	65.5	56.5	44.1	36.1	29.7	24.0	18.4	13.7	10.1	7.22	4.57	2.67	1.24	0.40	0.01	
40	49.5	46.3	42.4	38.5	34.2	29.9	25.6	21.2	16.9	13.2	10.4	7.89	5.53	3.55	2.14	1.00	0.34	0.01	
50	28.9	27.7	25.7	23.5	21.1	18.2	15.6	13.3	11.2	9.21	7.24	5.37	3.77	2.56	1.53	0.75	0.27	0.01	
60	14.4	14.0	13.1	12.2	11.3	10.2	9.10	7.98	6.78	5.41	4.14	3.19	2.36	1.60	0.95	0.51	0.20	0.01	
70	6.30	6.15	5.79	5.37	4.95	4.48	4.04	3.56	3.05	2.56	2.07	1.60	1.15	0.80	0.52	0.30	0.13	0.01	
80	1.67	1.62	1.50	1.37	1.28	1.19	1.08	0.96	0.85	0.74	0.62	0.51	0.41	0.32	0.23	0.14	0.08	0.01	
90	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.03	0.04	0.04	0.04	0.04	0.02	0.01	
100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	
110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.05	0.03	0.00	0.00	0.00	0.00	0.01	
120	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.10	0.00	0.00	0.00	0.01	
130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.08	0.00	0.00	0.01	
140	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.10	0.00	0.00	0.01	
150	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.00	
160	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.06	0.00	0.01	
170	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.11	0.00	0.01	
180	0.13	0.20	0.18	0.09	0.03	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.13	0.00	0.01	

STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report

Date : 2014-10-30

Page 9 of 9

No. : DE112780

Product Photographs



STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.