



STC Test Report

Date : 2014-10-30

Page 1 of 9

No. : DE112782

Applicant (SZS005) : SHEN ZHEN S-TECH LIGHTING CO., LTD
5/F, Bldg A, QiaoHongSheng Industrial Park,
Yin Tian Manufacturing District, XiXiang Town,
Bao'an Area, ShenZhen, China

Description of Sample(s) : Submitted sample(s) said to be
Product: Stadium Tower Light
Brand name: S-Tech
Model No.: FLA-SC100W V16
Electrical rating: AC 100-240V 50/60Hz, 100W
Quantity submitted: 1 piece
Country of origin: China
Country of destination: Not provided
Manufacturer: SHEN ZHEN S-TECH LIGHTING CO., LTD

Date Sample(s) Received : 2014-10-22

Date Tested : 2014-10-22

Investigation Requested : Luminous Intensity Distribution Measurements

Test Method : Referred to IES LM-79-08 Electrical And Photometric
Measurements of Solid-State Lighting Products.

Conclusion(s) : See the test data in following pages

Remark(s) : --

LI Chang Jun, Ricky
Authorized Signatory
Electrical Safety Department
For and on behalf of
STC (Dongguan) Company Limited

STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report


Date : 2014-10-30

Page 2 of 9

No. : DE112782

TEST DATA LUMINAIRE PHOTOMETRIC TEST REPORT

Test:U:240.2V I:0.4301A P:99.20W PF:0.9603 Lamp Flux:7902.59x1 lm		
NAME: Stadium Tower light	SUR.:260mm	
MFR.: SHEN ZHEN S-TECH LIGHTING CO., LTD		



DATA OF LAMP		Eff:79.66lm/W	
MODEL	FLA-SC100W V16	Imax(cd)	15721
NOMINAL POWER(W)	100	AVAILABILITY(%)	86.3
RATED VOLTAGE(V)	100-240	Avai. FLUX(lm)	6816
NOMINAL FLUX(lm)	7902.59	LOR(%)	100.0
LAMPS INSIDE	1	TOTAL FLUX(lm)	7903
TEST VOLTAGE(V)	240	θ @50%(H,V)	40,40DEG

VERTICAL(DEG)	AREA FLUX DIAGRAM																UNIT:lm		Φ t	Φ a		
	0.00	0.01	0.03	0.07	0.11	0.16	0.21	0.26	0.28	0.28	0.25	0.21	0.16	0.11	0.07	0.03	0.01	0.00				
90	0.00	0.01	0.03	0.07	0.11	0.16	0.21	0.26	0.28	0.28	0.25	0.21	0.16	0.11	0.07	0.03	0.01	0.00	2.26	0.00		
80	0.01	0.04	0.13	0.30	0.55	0.84	1.13	1.38	1.54	1.54	1.39	1.14	0.84	0.55	0.31	0.04	0.00	0.00	11.9	0.00		
70	0.01	0.08	0.31	0.72	1.31	2.05	2.82	3.47	3.87	3.89	3.51	2.84	2.07	1.33	0.72	0.31	0.08	0.01	29.4	0.00		
60	0.01	0.14	0.52	1.25	2.36	3.73	5.13	6.30	6.96	6.98	6.33	5.17	3.78	2.39	1.27	0.53	0.14	0.01	53.0	0.00		
50	0.02	0.20	0.77	1.87	3.55	5.59	7.77	10.1	12.0	12.0	10.1	7.78	5.64	3.61	1.91	0.78	0.20	0.02	83.9	0.00		
40	0.02	0.26	1.01	2.50	4.75	7.78	13.5	24.3	36.3	36.5	24.5	13.4	7.76	4.79	2.56	1.03	0.26	0.02	181	33.9		
30	0.03	0.32	1.23	3.07	5.91	12.0	36.6	97.0	154	153	95.5	35.4	11.9	5.89	3.12	1.26	0.31	0.03	617	524		
20	0.03	0.35	1.40	3.50	7.05	20.4	90.6	220	321	327	223	87.0	20.1	6.99	3.52	1.42	0.35	0.03	1333	1264		
10	0.03	0.37	1.48	3.72	7.92	29.8	135	295	418	429	307	131	28.3	7.77	3.72	1.50	0.37	0.03	1801	1738		
0	0.03	0.37	1.47	3.68	7.80	28.6	129	282	402	410	291	126	27.4	7.70	3.71	1.50	0.37	0.03	1723	1661		
-10	0.03	0.34	1.36	3.39	7.02	19.4	82.6	197	286	288	199	79.9	19.1	6.95	3.49	1.40	0.34	0.03	1196	1125		
-20	0.03	0.30	1.18	2.95	5.77	11.7	32.8	85.7	134	134	84.0	31.7	11.4	5.74	3.08	1.23	0.30	0.02	545	450		
-30	0.02	0.24	0.96	2.38	4.52	7.61	12.6	22.3	32.3	32.1	21.9	12.2	7.35	4.62	2.52	1.00	0.25	0.02	165	20.0		
-40	0.02	0.19	0.71	1.75	3.30	5.18	7.22	9.28	10.7	10.7	9.20	7.20	5.29	3.46	1.85	0.74	0.19	0.02	77.0	0.00		
-50	0.01	0.13	0.48	1.14	2.13	3.30	4.53	5.60	6.19	6.20	5.64	4.67	3.46	2.24	1.19	0.50	0.13	0.01	47.6	0.00		
-60	0.01	0.08	0.27	0.64	1.15	1.76	2.39	2.94	3.25	3.25	2.96	2.46	1.83	1.20	0.66	0.28	0.08	0.01	25.2	0.00		
-70	0.00	0.04	0.12	0.26	0.46	0.69	0.92	1.12	1.24	1.24	1.12	0.94	0.71	0.48	0.27	0.12	0.04	0.00	9.78	0.00		
-80	0.00	0.01	0.03	0.06	0.09	0.13	0.16	0.19	0.21	0.21	0.19	0.16	0.13	0.09	0.06	0.03	0.01	0.00	1.77	0.00		
-90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	---	---		
	Φ t	0.31	3.48	13.4	33.3	65.8	161	566	1264	1829	1856	1286	549	157	65.9	34.0	13.8	3.49	0.29	7902	---	
	Φ a	0.00	0.00	0.00	0.00	0.00	26.7	459	1170	1739	1766	1192	442	20.2	0.00	0.00	0.00	0.00	0.00	---	6816	---

one-half-peak spread: U:19.3,D:21.3 , L:20.1,R:20.2

NEMA Beam Type: Type 4

STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report


Date : 2014-10-30

Page 3 of 9

No. : DE112782

TEST DATA

ISOCANDELA DIAGRAM



STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.

For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report


Date : 2014-10-30

Page 4 of 9

No. : DE112782

TEST DATA

ISOLUX DIAGRAM



STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.

For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report


Date : 2014-10-30

Page 5 of 9

No. : DE112782

TEST DATA

AAI Figure



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)
 Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
 For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report


Date : 2014-10-30

Page 6 of 9

No. : DE112782

TEST DATA

Planar Illuminance Curve



STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.

For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report

Date : 2014-10-30

Page 7 of 9

No. : DE112782

TEST DATA

LUMINOUS DISTRIBUTION INTENSITY DATA

Table--1

UNIT: ×10cd

H(DEG) V(DEG)	-90	-85	-80	-75	-70	-65	-60	-55	-50	-45	-40	-35	-30	-25	-20	-15	-10	-5	0
-180	0.02	0.00	0.13	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.07
-170	0.02	0.00	0.13	0.02	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.03	0.05	0.06	0.07	0.08	0.08	0.09
-160	0.02	0.00	0.12	0.02	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.03	0.05	0.06	0.06	0.06	0.06	0.06
-150	0.02	0.00	0.08	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.02	0.03	0.04	0.04	0.04
-140	0.02	0.00	0.01	0.13	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.01	0.01
-130	0.02	0.00	0.00	0.13	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-120	0.02	0.00	0.00	0.02	0.12	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-110	0.02	0.00	0.00	0.00	0.00	0.07	0.06	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-100	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-90	0.02	0.02	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.05	0.05	0.05
-80	0.02	0.11	0.16	0.25	0.35	0.46	0.62	0.76	0.90	1.02	1.17	1.30	1.43	1.55	1.65	1.73	1.79	1.84	1.86
-70	0.02	0.18	0.34	0.65	0.99	1.40	1.88	2.42	2.96	3.51	4.04	4.57	5.09	5.58	6.02	6.39	6.68	6.87	6.95
-60	0.02	0.27	0.64	1.18	1.90	2.79	3.81	4.91	6.08	7.36	8.65	9.84	11.1	12.2	13.2	14.1	14.7	15.1	15.2
-50	0.02	0.35	0.96	1.80	3.01	4.46	6.14	8.11	10.2	12.5	14.7	16.8	18.9	21.0	22.9	24.5	25.6	26.3	26.5
-40	0.02	0.44	1.28	2.49	4.19	6.27	8.82	11.7	14.8	18.0	21.4	24.8	28.2	32.1	36.9	42.2	47.0	50.6	51.6
-30	0.02	0.54	1.59	3.20	5.31	8.08	11.4	15.2	19.3	23.7	28.4	37.1	47.6	63.8	94.6	135	181	217	229
-20	0.02	0.63	1.87	3.79	6.32	9.58	13.5	18.0	23.1	28.8	39.9	54.6	94.8	184	330	486	612	701	738
-10	0.02	0.68	2.06	4.20	7.06	10.7	15.1	20.1	25.6	32.9	47.5	85.5	190	393	625	848	1051	1185	1224
0	0.02	0.70	2.16	4.40	7.40	11.2	15.9	21.2	27.1	35.5	54.7	109	259	513	784	1050	1253	1459	1572
10	0.02	0.68	2.10	4.28	7.20	10.9	15.4	20.6	26.3	33.7	49.2	90.0	207	422	679	922	1134	1277	1338
20	0.02	0.64	1.94	3.93	6.59	9.95	14.0	18.7	23.9	29.4	38.1	57.3	103	208	370	549	704	814	859
30	0.02	0.56	1.68	3.39	5.65	8.48	11.9	15.8	20.1	24.6	29.4	36.4	48.6	69.8	104	149	207	246	259
40	0.02	0.47	1.35	2.71	4.51	6.71	9.33	12.4	15.7	19.2	22.8	26.2	29.8	34.2	39.6	45.8	51.7	56.3	57.8
50	0.02	0.37	1.03	2.01	3.29	4.84	6.67	8.76	11.1	13.6	16.2	18.6	21.0	23.2	25.1	26.7	27.9	28.7	28.9
60	0.02	0.28	0.69	1.30	2.13	3.09	4.21	5.45	6.82	8.28	9.80	11.3	12.8	14.2	15.4	16.4	17.2	17.7	17.8
70	0.02	0.20	0.40	0.71	1.10	1.57	2.16	2.75	3.41	4.08	4.76	5.44	6.09	6.70	7.25	7.73	8.11	8.34	8.45
80	0.02	0.12	0.19	0.29	0.40	0.53	0.68	0.85	1.02	1.21	1.40	1.59	1.79	1.98	2.15	2.24	2.31	2.37	2.40
90	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02
100	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
110	0.02	0.00	0.00	0.00	0.00	0.05	0.06	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
120	0.02	0.00	0.00	0.01	0.11	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
130	0.02	0.00	0.00	0.12	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
140	0.02	0.00	0.01	0.13	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
150	0.02	0.00	0.08	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.01
160	0.02	0.00	0.12	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.02	0.02	0.02
170	0.02	0.00	0.13	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.02	0.02	0.03	0.03
180	0.02	0.00	0.13	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.07

STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report

Date : 2014-10-30

Page 8 of 9

No. : DE112782

TEST DATA

LUMINOUS DISTRIBUTION INTENSITY DATA

Table--2

UNIT: ×10cd

H(DEG) V(DEG)	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
-180	0.07	0.07	0.07	0.06	0.05	0.04	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.18	0.00	0.01
-170	0.09	0.08	0.07	0.06	0.05	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.18	0.00	0.01
-160	0.06	0.06	0.06	0.05	0.04	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.18	0.00	0.01
-150	0.04	0.04	0.03	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.12	0.00	0.01
-140	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.10	0.01	0.00	0.01
-130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.17	0.00	0.00	0.01
-120	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.14	0.02	0.00	0.00	0.01
-110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.05	0.09	0.00	0.00	0.00	0.00	0.01
-100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
-90	0.05	0.05	0.05	0.05	0.04	0.03	0.02	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.01	0.01	0.01	0.01
-80	1.83	1.79	1.72	1.63	1.53	1.42	1.30	1.17	1.03	0.92	0.78	0.63	0.46	0.34	0.25	0.16	0.09	0.01
-70	6.87	6.69	6.43	6.08	5.69	5.23	4.72	4.19	3.63	3.06	2.49	1.94	1.45	1.02	0.65	0.33	0.15	0.01
-60	15.1	14.7	14.2	13.5	12.6	11.5	10.3	9.04	7.71	6.36	5.13	3.96	2.90	1.97	1.21	0.63	0.23	0.01
-50	26.3	25.6	24.6	23.2	21.5	19.6	17.6	15.4	13.2	10.8	8.55	6.43	4.64	3.12	1.87	0.96	0.31	0.01
-40	50.3	46.5	41.4	36.0	31.3	27.6	24.6	21.8	18.8	15.7	12.4	9.35	6.54	4.33	2.57	1.28	0.40	0.01
-30	215	178	132	92.4	61.9	45.0	35.5	27.8	23.9	20.0	16.0	12.0	8.47	5.49	3.23	1.59	0.50	0.01
-20	707	615	480	318	175	93.2	53.7	39.0	28.4	23.5	18.8	14.2	9.99	6.45	3.79	1.84	0.58	0.01
-10	1192	1069	867	627	379	181	86.0	47.3	32.7	25.8	20.6	15.6	11.0	7.10	4.16	2.00	0.64	0.01
0	1485	1298	1083	789	481	234	102	52.8	34.6	26.7	21.2	16.0	11.3	7.32	4.29	2.06	0.66	0.01
10	1325	1192	958	679	403	198	88.5	48.6	33.2	26.1	20.7	15.7	11.1	7.19	4.21	2.03	0.64	0.01
20	818	704	541	354	200	99.8	56.8	37.9	29.2	23.9	19.0	14.3	10.2	6.63	3.89	1.89	0.59	0.01
30	247	209	151	103	69.1	48.1	36.2	29.3	24.7	20.4	16.2	12.2	8.66	5.71	3.38	1.66	0.51	0.01
40	56.5	52.0	46.0	39.6	34.2	29.8	26.3	23.0	19.5	16.1	12.7	9.57	6.83	4.55	2.73	1.34	0.42	0.01
50	28.7	27.9	26.7	25.1	23.3	21.2	18.9	16.4	13.9	11.3	8.94	6.79	4.90	3.31	2.04	1.01	0.33	0.01
60	17.7	17.4	16.6	15.5	14.3	13.0	11.5	9.93	8.38	6.89	5.51	4.25	3.11	2.16	1.31	0.67	0.24	0.01
70	8.38	8.18	7.80	7.32	6.76	6.14	5.49	4.81	4.12	3.43	2.77	2.18	1.60	1.11	0.69	0.38	0.16	0.01
80	2.37	2.32	2.24	2.11	1.96	1.79	1.60	1.42	1.24	1.05	0.86	0.68	0.52	0.38	0.27	0.17	0.09	0.01
90	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.01
100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01
110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.07	0.07	0.00	0.00	0.00	0.00	0.01
120	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.15	0.01	0.00	0.00	0.01
130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.17	0.00	0.00	0.01
140	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.13	0.01	0.00	0.01
150	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.12	0.00	0.01
160	0.02	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.18	0.00	0.01
170	0.02	0.02	0.02	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.18	0.00	0.01
180	0.07	0.07	0.07	0.06	0.05	0.04	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.18	0.00	0.01

STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report

Date : 2014-10-30

Page 9 of 9

No. : DE112782

Product Photographs



***** End of Test Report *****

STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.

For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.