



STC Test Report

Date : 2014-05-28

Page 1 of 11

No. : DE111806

Applicant (SZS005) : SHEN ZHEN SCREENTECH LIGHTING CO., LTD
5/F, Bldg A, QiaoHongSheng Industrial Park,
Yin Tian Industrial Zone, Xixiang Town, Bao'an Area,
Shenzhen, China

Description of Sample(s) : Submitted sample(s) said to be
Product: LED Street Light
Brand name: S-Tech Lighting
Model No.: SL060W
Electrical rating: 100-240V~ 50/60Hz, 60W
Quantity submitted: 1 piece
Country of origin: China
Country of destination: Australia
Manufacturer: SHEN ZHEN SCREENTECH LIGHTING
CO., LTD

Date Sample(s) Received : 2014-05-24

Date Tested : 2014-05-24

Investigation Requested : Luminous Intensity Distribution Measurements

Test Method : Referred to IES LM-79-08 Electrical And Photometric
Measurements of Solid-State Lighting Products.

Conclusion(s) : See the test data in following pages

Remark(s) : Test voltage and frequency: 240V~ 50Hz

LI Chang Jun, Ricky
Authorized Signatory
Electrical Safety Department
For and on behalf of
STC (Dongguan) Company Limited

STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report

Date : 2014-05-28

Page 2 of 11



No. : DE111806

TEST DATA

STREETLIGHT PHOTOMETRIC TEST REPORT

Test:U:240.2V I:0.2630A P:62.50W PF:0.9895 Lamp Flux:5695.3x1 lm		
NAME: LED Street Light		
MFR.: SHEN ZHEN SCREENTECH LIGHTING CO., LTD		

DATA OF LAMP		PHOTOMETRIC DATA Eff: 91.12 lm/W			
MODEL	SL060W	I _{max} (cd)	3604	η street_up(%)	0.1
NOMINAL POWER(W)	60	LOR(%)	100.0	η street_down(%)	38.9
RATED VOLTAGE(V)	100-240	TOTAL FLUX(lm)	5695	η house_up(%)	0.1
NOMINAL FLUX(lm)	5695.3	MAXIMUM @(C,γ)	210,51.5	η house_down(%)	61.0
LAMPS INSIDE	1	η up(%)	0.1	76 FLASHAREA(m2)	0.05000
TEST VOLTAGE(V)	240	η down(%)	99.9	SLI	20.219



C Range: 0 - 360DEG
C Interval: 10.0DEG
Test Speed: HIGH
Temperature:25.3DEG
Operators:Taylor
Test Date:2014-05-24

γ Range: 0 - 180DEG
γ Interval: 0.5DEG
Test System:EVERFINE GO-R5000_V2 SYSTEM V2.0.284
Humidity:55.0%
Test Distance:2.580m [K=1.0000]
Remarks:

Note: SLI:Specific Luminaire Index

STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report


Date : 2014-05-28

Page 3 of 11

No. : DE111806

TEST DATA

STREETLIGHT ISOCANDELA DIAGRAM



Classification:

IES:Type V - Short
CIE:Narrow - Short
IES:Cut-off
CIE:Semi-cut-off
Max.At80:31.64cd/klm
Max.At90:6.191cd/klm
Max.80-90:31.64cd/klm

ISOCANDELA DIAGRAM	
UNIT	cd
I _{max} =100%	3604
90%	3244
80%	2883
70%	2523
60%	2162
50%	1802
40%	1442
30%	1081
20%	721
10%	360
5%	180

STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.





STC Test Report

Date : 2014-05-28

Page 4 of 11

No. : DE111806

TEST DATA AND ISOLUX DIAGRAM



STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.

For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report

Date : 2014-05-28

Page 5 of 11

No. : DE111806

TEST DATA

ZONAL FLUX DIAGRAM

γ	C0	C45	C90	C135	C180	C225	C270	C315	γ	Φ zone	Φ total	lum, lamp
5	1207	1227	1236	1219	1198	1205	1222	1211	0- 5	28.95	28.95	0.51
10	1220	1262	1275	1247	1201	1233	1291	1245	5- 10	88.07	117.02	2.05
15	1259	1312	1292	1293	1230	1294	1384	1310	10- 15	150.9	267.9	4.7
20	1324	1365	1247	1345	1287	1385	1493	1410	15- 20	219.0	486.98	5.5
25	1412	1393	1113	1376	1368	1511	1584	1551	20- 25	291.3	778.21	7.13
30	1532	1349	910.5	1338	1482	1672	1707	1728	25- 30	365.7	1144.20	10.1
35	1703	1213	683.3	1214	1644	1917	1844	1987	30- 35	444.7	1589.27	9.27
40	1921	998.5	481.0	1017	1862	2390	1693	2452	35- 40	529.2	2118.37	2.37
45	2179	727.5	371.5	754.8	2127	2705	1161	2751	40- 45	597.3	2715.47	7.47
50	2455	461.6	315.0	481.5	2408	2380	569.9	2389	45- 50	621.3	3336.58	6.58
55	2717	320.5	241.9	326.5	2677	1438	341.0	1441	50- 55	591.8	3928.69	6.69
60	2944	249.2	178.3	258.4	2935	569.8	234.5	611.7	55- 60	540.7	4469.78	5.78
65	3029	161.7	137.0	174.8	3060	208.3	169.0	205.3	60- 65	475.6	4944.86	8.86
70	2749	104.5	107.2	110.1	2890	129.6	138.0	126.9	65- 70	398.3	5343.93	8.93
75	676.3	73.83	84.30	76.00	866.5	95.20	114.8	93.57	70- 75	232.4	5575.97	9.97
80	128.0	46.77	59.63	49.31	115.4	63.34	69.55	60.08	75- 80	64.11	5639.99	9.99
85	45.46	27.70	39.50	30.37	49.77	34.67	43.99	34.15	80- 85	32.73	5672.99	9.99
90	6.315	4.707	5.093	11.39	12.10	9.769	12.28	9.977	85- 90	16.63	5689.99	9.99
95	0.1234	0.0354	0.0356	0.0201	0.0135	0.0030	2.347	0.0062	90- 95	1.263	5690.99	9.99
100	0.5868	2.940	0.1492	2.918	0.0810	0.2273	0.0238	0.5849	95-100	0.2562	5690.99	9.99
105	3.092	1.481	0.3729	1.662	3.821	0.9494	0.0948	0.9326	100-105	1.125	5691.99	9.99
110	2.220	1.213	0.4564	1.258	2.265	0.8879	0.2391	0.9339	105-110	0.7269	5692.99	9.99
115	1.830	1.091	0.5074	1.081	1.799	0.8540	0.2715	0.9053	110-115	0.5666	5693.100	100
120	1.559	0.9621	0.5798	0.9557	1.557	0.7908	0.7237	0.8410	115-120	0.4802	5693.100	100
125	1.331	0.8698	1.573	0.8545	1.322	0.7712	1.170	0.8224	120-125	0.4219	5693.100	100
130	1.174	0.8032	1.596	0.8058	1.132	0.7430	1.461	0.7933	125-130	0.3729	5694.100	100
135	1.035	0.7123	0.6028	0.7068	0.9915	0.6586	0.8985	0.6889	130-135	0.3186	5694.100	100
140	0.9179	0.6411	3.049	0.6154	0.8634	0.6146	2.054	0.6080	135-140	0.3019	5694.100	100
145	0.7440	0.5680	2.398	0.5899	0.6924	0.5923	1.905	0.5656	140-145	0.2691	5695.100	100
150	0.6301	0.4591	2.193	0.5020	0.5783	0.4944	1.618	0.4567	145-150	0.2110	5695.100	100
155	0.5227	0.3979	0.3329	0.4311	0.5126	0.3624	1.194	0.3510	150-155	0.1433	5695.100	100
160	0.3592	0.3265	1.116	0.3420	0.3488	0.2083	0.9202	0.2299	155-160	0.0950	5695.100	100
165	0.2516	0.3150	0.7918	0.3367	0.2042	0.1704	0.1674	0.1554	160-165	0.0647	5695.100	100
170	0.2234	0.2997	0.4804	0.3409	0.1866	0.2375	0.5677	0.2235	165-170	0.0363	5695.100	100
175	0.1618	0.1826	0.2682	0.2001	0.1426	0.1454	0.0885	0.1092	170-175	0.0176	5695.100	100
180	0.0842	0.0832	0.1312	0.1111	0.0933	0.0875	0.0608	0.0977	175-180	0.0032	5695.100	100
DEG	LUMINOUS INTENSITY:cd									UNIT:lm		

STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report


Date : 2014-05-28

Page 6 of 11

No. : DE111806

TEST DATA

ISOCANDELA DIAGRAM



STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report


Date : 2014-05-28

Page 7 of 11

No. : DE111806

TEST DATA

Planar Illuminance Curve



STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.

For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report

Date : 2014-05-28

Page 8 of 11

No. : DE111806

TEST DATA

LUMINOUS DISTRIBUTION INTENSITY DATA

Table--1

UNIT: cd

C (DEG) γ (DEG)	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
0	1208	1208	1208	1208	1208	1208	1208	1208	1208	1208	1208	1208	1208	1208	1208	1208	1208	1208	1208
5	1207	1211	1215	1219	1225	1229	1233	1235	1236	1236	1234	1231	1227	1222	1216	1210	1205	1202	1198
10	1220	1228	1240	1250	1259	1266	1271	1274	1276	1275	1272	1267	1260	1251	1242	1231	1220	1210	1201
15	1259	1274	1292	1305	1312	1312	1306	1301	1295	1292	1290	1291	1294	1295	1291	1279	1263	1245	1230
20	1324	1350	1378	1389	1379	1351	1315	1281	1258	1247	1253	1273	1303	1334	1357	1358	1340	1312	1287
25	1412	1459	1494	1492	1438	1348	1253	1178	1130	1113	1128	1173	1245	1335	1417	1461	1452	1409	1368
30	1532	1607	1646	1578	1433	1264	1109	996	932	910	932	995	1107	1258	1418	1551	1607	1554	1482
35	1703	1820	1807	1614	1340	1086	894	771	705	683	707	775	901	1092	1337	1593	1766	1767	1644
40	1921	2075	1943	1576	1161	836	645	544	496	481	497	549	658	859	1175	1564	1902	2009	1862
45	2179	2324	2012	1438	896	559	429	392	378	372	377	391	432	579	931	1447	1972	2254	2127
50	2455	2522	1963	1163	560	364	341	328	320	315	320	327	341	369	594	1206	1937	2454	2408
55	2717	2615	1748	744	336	305	280	262	247	242	249	265	283	308	345	805	1769	2565	2677
60	2944	2570	1372	405	269	230	198	188	179	178	183	194	206	239	278	433	1448	2554	2935
65	3029	2344	944	233	177	147	133	136	137	137	140	142	140	158	192	250	1049	2386	3060
70	2749	1864	520	119	110	98.9	95.6	103	110	107	113	106	99.3	104	117	134	629	2005	2890
75	676	522	120	76.0	73.5	74.2	76.1	83.8	89.8	84.3	92.5	86.1	79.0	76.0	76.0	80.7	164	698	866
80	128	139	56.2	47.2	45.4	48.1	50.2	56.7	63.0	59.6	64.2	57.6	52.7	51.5	47.1	50.6	61.9	134	115
85	45.5	66.2	35.6	33.0	27.1	28.3	31.7	38.8	43.3	39.5	44.5	40.0	33.9	31.1	29.7	37.1	40.1	75.3	49.8
90	6.31	8.10	6.43	6.37	4.20	5.22	7.79	6.70	6.27	5.09	10.7	15.1	10.4	11.7	11.1	12.4	11.6	17.1	12.1
95	0.12	0.12	0.08	0.04	0.03	0.04	0.87	0.09	0.04	0.04	0.03	0.04	0.17	0.02	0.02	0.03	0.07	0.11	0.01
100	0.59	3.12	6.00	5.42	3.73	2.15	1.17	0.53	0.12	0.15	0.15	0.57	1.24	2.22	3.61	4.77	2.44	0.52	0.08
105	3.09	3.20	3.19	2.43	1.74	1.22	0.80	0.40	0.12	0.37	0.15	0.43	0.84	1.33	2.00	2.92	3.66	3.95	3.82
110	2.22	2.30	2.24	1.83	1.40	1.02	0.68	0.33	0.16	0.46	0.19	0.37	0.68	1.04	1.47	1.97	2.36	2.45	2.26
115	1.83	1.88	1.82	1.59	1.26	0.92	0.60	0.32	0.22	0.51	0.25	0.36	0.59	0.90	1.26	1.62	1.87	1.95	1.80
120	1.56	1.58	1.51	1.36	1.10	0.83	0.59	0.35	0.23	0.58	0.30	0.36	0.57	0.81	1.11	1.39	1.56	1.63	1.56
125	1.33	1.34	1.27	1.17	0.97	0.77	0.53	0.43	0.47	1.57	0.44	0.42	0.56	0.75	0.96	1.16	1.29	1.35	1.32
130	1.17	1.17	1.11	1.01	0.90	0.71	0.50	0.42	0.67	1.60	0.46	0.49	0.51	0.73	0.88	0.99	1.09	1.14	1.13
135	1.04	1.03	0.98	0.90	0.78	0.65	0.66	0.52	0.43	0.60	0.38	0.59	0.62	0.62	0.79	0.88	0.95	0.99	0.99
140	0.92	0.91	0.84	0.75	0.66	0.63	0.53	0.52	1.58	3.05	1.35	0.59	0.59	0.61	0.62	0.75	0.84	0.88	0.86
145	0.74	0.73	0.69	0.65	0.56	0.58	0.47	0.47	1.41	2.40	1.30	0.50	0.53	0.62	0.56	0.64	0.67	0.71	0.69
150	0.63	0.63	0.61	0.59	0.54	0.37	0.33	0.68	1.53	2.19	1.37	0.55	0.33	0.41	0.59	0.60	0.61	0.63	0.58
155	0.52	0.53	0.51	0.46	0.40	0.40	0.34	0.27	0.27	0.33	0.27	0.22	0.35	0.40	0.46	0.51	0.55	0.56	0.51
160	0.36	0.37	0.35	0.35	0.33	0.33	0.43	0.61	0.87	1.12	0.87	0.62	0.44	0.34	0.35	0.35	0.37	0.40	0.35
165	0.25	0.27	0.26	0.27	0.29	0.34	0.47	0.54	0.71	0.79	0.69	0.55	0.52	0.37	0.30	0.28	0.27	0.27	0.20
170	0.22	0.24	0.24	0.25	0.28	0.31	0.34	0.39	0.45	0.48	0.47	0.43	0.38	0.36	0.33	0.29	0.27	0.25	0.19
175	0.16	0.16	0.16	0.18	0.18	0.18	0.19	0.21	0.25	0.27	0.25	0.21	0.20	0.20	0.20	0.20	0.20	0.20	0.14
180	0.08	0.08	0.08	0.08	0.08	0.08	0.02	0.04	0.13	0.13	0.13	0.08	0.08	0.11	0.11	0.12	0.11	0.12	0.09

STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report

Date : 2014-05-28

Page 9 of 11

No. : DE111806

TEST DATA

LUMINOUS DISTRIBUTION INTENSITY DATA

Table--2

UNIT: cd

C(DEG) γ (DEG)	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350		
0	1208	1208	1208	1208	1208	1208	1208	1208	1208	1208	1208	1208	1208	1208	1208	1208	1208		
5	1197	1197	1198	1202	1207	1212	1216	1220	1222	1222	1219	1216	1212	1209	1205	1204	1206		
10	1197	1201	1211	1225	1241	1258	1274	1286	1291	1288	1279	1267	1253	1238	1225	1216	1215		
15	1227	1239	1259	1282	1305	1329	1353	1375	1384	1379	1363	1342	1320	1300	1279	1261	1251		
20	1289	1316	1348	1373	1396	1421	1450	1478	1493	1486	1468	1445	1421	1398	1370	1339	1316		
25	1377	1425	1469	1503	1520	1528	1542	1567	1584	1580	1571	1568	1563	1538	1494	1447	1405		
30	1498	1568	1633	1671	1673	1659	1663	1686	1707	1707	1706	1718	1734	1723	1666	1584	1519		
35	1665	1764	1861	1905	1928	1929	1881	1844	1844	1873	1939	2004	2006	1968	1898	1779	1675		
40	1881	2048	2210	2396	2384	2140	1885	1732	1693	1750	1940	2217	2463	2440	2233	2048	1878		
45	2138	2433	2893	2977	2432	1831	1431	1222	1161	1230	1460	1893	2501	3002	2828	2398	2116		
50	2402	2904	3548	2908	1852	1068	700	596	570	584	683	1068	1891	2887	3435	2819	2340		
55	2637	3403	3414	2139	737	376	347	341	341	340	348	370	756	2126	3292	3256	2551		
60	2874	3500	2623	863	277	256	242	236	235	235	242	252	273	951	2533	3371	2757		
65	3005	2950	1487	246	171	166	166	168	169	166	165	161	168	242	1576	2938	2918		
70	2971	1978	482	135	124	127	136	140	138	138	136	122	121	132	526	2000	2913		
75	785	392	104	94.7	95.7	103	123	118	115	118	125	99.6	93.8	93.3	109	360	602		
80	153	97.7	65.9	60.8	65.9	66.1	84.1	74.2	69.5	72.1	87.1	63.1	61.9	58.2	66.2	115	180		
85	76.3	55.3	35.4	33.0	36.4	43.3	66.2	51.1	44.0	50.0	67.5	40.4	36.5	31.8	34.5	58.0	65.9		
90	23.1	16.0	11.6	9.48	10.1	19.1	35.3	16.5	12.3	16.9	35.3	16.9	9.51	10.4	9.07	11.3	13.7		
95	0.01	0.01	0.01	0.00	0.00	0.18	2.48	2.18	2.35	1.35	2.10	0.02	0.01	0.01	0.01	0.01	0.01		
100	0.45	0.83	2.50	0.44	0.02	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.03	1.14	2.67	2.07	0.79		
105	3.99	3.60	2.16	1.21	0.68	0.30	0.11	0.04	0.09	0.05	0.12	0.31	0.68	1.19	2.09	3.30	3.41		
110	2.46	2.54	1.70	1.10	0.68	0.41	0.19	0.08	0.24	0.09	0.22	0.46	0.73	1.13	1.69	2.54	2.29		
115	1.89	1.91	1.43	1.03	0.68	0.42	0.21	0.11	0.27	0.13	0.25	0.47	0.73	1.08	1.49	1.87	1.84		
120	1.59	1.55	1.35	0.92	0.66	0.44	0.23	0.15	0.72	0.19	0.28	0.47	0.71	0.97	1.37	1.54	1.56		
125	1.32	1.28	1.12	0.90	0.64	0.43	0.37	0.34	1.17	0.34	0.34	0.50	0.69	0.96	1.14	1.29	1.33		
130	1.13	1.09	0.97	0.84	0.65	0.46	0.36	0.58	1.46	0.36	0.40	0.45	0.72	0.86	1.00	1.12	1.16		
135	0.98	0.95	0.88	0.74	0.58	0.55	0.26	0.49	0.90	0.11	0.39	0.52	0.60	0.77	0.88	0.99	1.02		
140	0.86	0.82	0.72	0.62	0.60	0.48	0.44	1.19	2.05	0.59	0.51	0.53	0.58	0.64	0.75	0.84	0.88		
145	0.69	0.65	0.62	0.60	0.58	0.42	0.44	1.36	1.90	0.85	0.42	0.49	0.56	0.57	0.60	0.67	0.71		
150	0.58	0.53	0.56	0.54	0.45	0.40	0.56	1.30	1.62	0.92	0.39	0.43	0.44	0.47	0.50	0.53	0.59		
155	0.47	0.44	0.37	0.39	0.34	0.29	0.53	0.98	1.19	0.74	0.40	0.27	0.36	0.34	0.35	0.41	0.45		
160	0.30	0.29	0.27	0.18	0.23	0.35	0.54	0.82	0.92	0.76	0.59	0.42	0.28	0.18	0.25	0.27	0.26		
165	0.19	0.17	0.20	0.18	0.16	0.17	0.16	0.14	0.17	0.15	0.16	0.14	0.15	0.16	0.20	0.21	0.17		
170	0.18	0.18	0.19	0.23	0.25	0.29	0.40	0.51	0.57	0.54	0.44	0.34	0.24	0.21	0.20	0.20	0.18		
175	0.15	0.14	0.15	0.15	0.14	0.13	0.12	0.11	0.09	0.08	0.09	0.09	0.10	0.11	0.11	0.12	0.12		
180	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.07	0.06	0.06	0.06	0.08	0.09	0.10	0.10	0.10	0.10		

STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report

Date : 2014-05-28

Page 10 of 11

No. : DE111806

Product Photographs



STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



STC Test Report

Date : 2014-05-28

Page 11 of 11

No. : DE111806

Product Photographs



******* End of Test Report *******

STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.