



## **STC Test Report**

Date : 2014-05-28

Page 1 of 11

No. : DE111813

**Applicant (SZS005)** : SHEN ZHEN SCREENTECH LIGHTING CO., LTD  
5/F, Bldg A, QiaoHongSheng Industrial Park,  
Yin Tian Industrial Zone, Xixiang Town, Bao'an Area,  
Shenzhen, China

**Description of Sample(s)** : Submitted sample(s) said to be  
Product: LED Street Light  
Brand name: S-Tech Lighting  
Model No.: SL200W  
Electrical rating: 100-240V~ 50/60Hz, 200W  
Quantity submitted: 1 piece  
Country of origin: China  
Country of destination: Australia  
Manufacturer: SHEN ZHEN SCREENTECH LIGHTING  
CO., LTD

**Date Sample(s) Received** : 2014-05-24

**Date Tested** : 2014-05-24

**Investigation Requested** : Luminous Intensity Distribution Measurements

**Test Method** : Referred to IES LM-79-08 Electrical And Photometric  
Measurements of Solid-State Lighting Products.

**Conclusion(s)** : See the test data in following pages

**Remark(s)** : Test voltage and frequency: 240V~ 50Hz

-----

---

LI Chang Jun, Ricky  
Authorized Signatory  
Electrical Safety Department  
For and on behalf of  
STC (Dongguan) Company Limited

### **STC (Dongguan) Company Limited**

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## STC Test Report

Date : 2014-05-28

Page 2 of 11



No. : DE111813

### TEST DATA

#### STREETLIGHT PHOTOMETRIC TEST REPORT

Test:U:240.2V I:0.8650A P:201.7W PF:0.9707 Lamp Flux:19530.3x1 lm		
NAME: LED Street Light		
MFR.: SHEN ZHEN SCREENTECH LIGHTING CO., LTD		

DATA OF LAMP		PHOTOMETRIC DATA Eff: 96.83 lm/W			
MODEL	SL200W	Imax(cd)	13116	$\eta$ street_up(%)	0.2
NOMINAL POWER(W)	200	LOR(%)	100.0	$\eta$ street_down(%)	41.6
RATED VOLTAGE(V)	100-240	TOTAL FLUX(lm)	19530	$\eta$ house_up(%)	0.2
NOMINAL FLUX(lm)	19530.3	MAXIMUM @ (C, $\gamma$ )	210,58.5	$\eta$ house_down(%)	58.0
LAMPS INSIDE	1	$\eta$ up(%)	0.3	76 FLASHAREA(m2)	0.05000
TEST VOLTAGE(V)	240	$\eta$ down(%)	99.7	SLI	21.742



C Range: 0 - 360DEG  
C Interval: 10.0DEG  
Test Speed: HIGH  
Temperature:25.3DEG  
Operators:Taylor  
Test Date:2014-05-24

$\gamma$  Range: 0 - 180DEG  
 $\gamma$  Interval: 0.5DEG  
Test System:EVERFINE GO-R5000\_V2 SYSTEM V2.0.284  
Humidity:55.0%  
Test Distance:30.000m [K=1.0000]  
Remarks:

Note: SLI:Specific Luminaire Index

#### STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## STC Test Report


Date : 2014-05-28

Page 3 of 11

No. : DE111813

### TEST DATA

#### STREETLIGHT ISOCANDELA DIAGRAM



#### Classification:

IES:Type V - Short  
CIE:Narrow - Short  
IES:Cut-off  
CIE:Semi-cut-off  
Max.At80:42.91cd/klm  
Max.At90:4.339cd/klm  
Max.80-90:42.91cd/klm

ISOCANDELA DIAGRAM	
UNIT	cd
I <sub>max</sub> =100%	13116
90%	11804
80%	10493
70%	9181
60%	7869
50%	6558
40%	5246
30%	3935
20%	2623
10%	1312
5%	656

#### STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.





## STC Test Report

Date : 2014-05-28

Page 4 of 11

No. : DE111813

### TEST DATA AND ISOLUX DIAGRAM



### STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## STC Test Report

Date : 2014-05-28

Page 5 of 11

No. : DE111813

### TEST DATA

#### ZONAL FLUX DIAGRAM

$\gamma$	C0	C45	C90	C135	C180	C225	C270	C315	$\gamma$	$\Phi$ zone	$\Phi$ total	lum, lamp
5	330.6	334.8	337.6	332.1	324.9	326.1	331.0	330.9	0- 5	79.06	79.060	40.0.40
10	329.8	343.3	354.5	341.2	328.2	329.2	345.4	334.4	5- 10	239.3	318.41	63.1.63
15	336.4	358.3	370.7	359.1	338.8	346.3	373.8	347.5	10- 15	411.0	729.43	73.3.73
20	348.5	378.1	380.1	384.7	355.1	376.5	402.3	373.8	15- 20	601.5	1331.6	81.6.81
25	366.1	401.1	375.1	415.3	378.0	415.2	431.2	405.7	20- 25	811.0	2142	11.11
30	390.9	421.5	353.1	445.6	409.4	461.9	468.8	448.1	25- 30	1042	3184	16.3.16.3
35	425.9	428.8	303.7	466.1	451.7	527.6	509.4	509.2	30- 35	1297	4481	22.9.22.9
40	481.5	403.5	232.3	453.0	508.1	629.8	543.6	606.2	35- 40	1581	6062	31.31
45	552.3	325.6	168.4	385.9	578.8	798.1	504.1	773.7	40- 45	1898	7960	40.8.40.8
50	639.1	216.1	137.6	275.2	660.7	981.1	317.0	919.1	45- 50	2168	10128	51.9.51.9
55	723.6	132.3	116.8	166.9	741.6	796.3	149.0	638.8	50- 55	2201	12329	63.1.63.1
60	815.4	107.0	83.55	128.1	851.5	370.3	98.14	212.2	55- 60	2069	14398	73.7.73.7
65	921.0	71.62	54.45	88.54	979.9	94.52	54.45	64.23	60- 65	1866	16264	83.3.83.3
70	991.9	41.29	38.38	48.20	1059	41.67	39.96	37.61	65- 70	1611	17875	91.5.91.5
75	379.9	28.04	29.00	29.94	495.1	27.28	30.71	26.78	70- 75	1113	18989	97.2.97.2
80	37.66	18.90	19.36	20.60	44.35	21.56	25.78	20.72	75- 80	301.3	19290	98.8.98.8
85	15.74	9.549	10.16	10.22	19.17	11.13	11.39	10.78	80- 85	124.5	19414	99.4.99.4
90	1.507	0.3762	0.4904	1.860	4.061	2.735	2.309	1.939	85- 90	51.06	19465	99.7.99.7
95	0.6569	0.2204	0.2435	0.2237	0.8632	0.2291	0.3074	0.2406	90- 95	3.213	19469	99.7.99.7
100	1.163	1.539	0.3279	1.911	1.634	1.297	0.2983	1.083	95-100	3.698	19472	99.7.99.7
105	2.309	0.9450	0.4085	1.046	3.279	0.9551	0.3984	0.7864	100-105	7.690	19480	99.7.99.7
110	2.080	0.9674	0.4995	0.9478	2.603	0.8095	0.4901	0.7636	105-110	6.428	19486	99.8.99.8
115	2.050	1.150	0.5890	1.086	2.350	0.8047	0.5515	0.7879	110-115	6.021	19492	99.8.99.8
120	1.895	1.301	0.8524	1.200	2.096	0.8499	0.6999	0.8575	115-120	5.803	19498	99.8.99.8
125	1.618	1.278	1.120	1.175	1.662	0.8962	0.7308	0.9445	120-125	5.335	19504	99.9.99.9
130	1.433	1.218	1.272	1.110	1.434	0.9155	1.029	0.9576	125-130	4.915	19509	99.9.99.9
135	1.215	1.289	1.276	1.144	1.236	0.9154	1.107	0.9681	130-135	4.404	19513	99.9.99.9
140	1.143	1.069	1.472	1.007	1.143	0.9291	1.636	0.9480	135-140	4.049	19517	99.9.99.9
145	1.063	0.9712	1.444	0.8908	1.067	0.9034	1.504	0.9088	140-145	3.479	19520	99.9.99.9
150	0.8561	0.9204	1.463	0.8375	0.9857	0.8809	1.367	0.8983	145-150	2.922	19523	100.100
155	0.7607	0.8334	1.034	0.7731	0.8977	0.8259	1.050	0.8481	150-155	2.316	19526	100.100
160	0.7390	0.7360	1.004	0.7153	0.8030	0.7372	1.009	0.7693	155-160	1.775	19527	100.100
165	0.6539	0.6871	0.7320	0.6693	0.7793	0.7082	0.7775	0.7588	160-165	1.262	19529	100.100
170	0.7098	0.7376	0.7997	0.7456	0.7947	0.7530	0.7536	0.7792	165-170	0.8888	19530	100.100
175	0.7565	0.7381	0.7128	0.7291	0.7958	0.7318	0.7201	0.7482	170-175	0.5364	19530	100.100
180	0.7405	0.7001	0.6402	0.6828	0.7624	0.6982	0.6825	0.6904	175-180	0.1744	19530	100.100
DEG	LUMINOUS INTENSITY: $\times 10\text{cd}$									UNIT: lm		

#### STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## STC Test Report


Date : 2014-05-28

Page 6 of 11

No. : DE111813

### TEST DATA

#### ISOCANDELA DIAGRAM



#### STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## STC Test Report


Date : 2014-05-28

Page 7 of 11

No. : DE111813

### TEST DATA

#### Planar Illuminance Curve



#### STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.

For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## STC Test Report

Date : 2014-05-28

Page 8 of 11

No. : DE111813

### TEST DATA

#### LUMINOUS DISTRIBUTION INTENSITY DATA

Table--1

UNIT: ×10cd

C(DEG) γ (DEG)	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
0	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330
5	331	331	332	335	334	336	337	337	338	338	337	336	334	333	331	329	328	328	325
10	330	332	336	340	341	345	350	352	354	354	352	349	345	343	339	335	334	331	328
15	336	340	345	352	355	361	368	369	371	371	371	367	365	361	357	351	347	343	339
20	349	354	362	373	377	379	384	381	382	380	382	382	383	386	383	376	368	361	355
25	366	376	391	404	404	398	390	381	376	375	381	388	401	414	416	409	397	386	378
30	391	405	428	440	431	412	386	365	355	353	363	380	406	437	455	456	441	420	409
35	426	453	485	487	451	406	363	325	308	304	318	345	386	441	491	520	508	471	452
40	481	523	569	535	446	361	299	257	237	232	247	274	324	398	508	596	604	545	508
45	552	639	681	561	384	267	210	181	170	168	176	193	232	312	460	644	738	650	579
50	639	798	774	496	267	166	144	139	137	138	143	148	159	202	348	607	847	794	661
55	724	969	765	338	141	124	122	119	116	117	122	128	134	144	190	471	862	964	742
60	815	1106	612	149	111	103	93.7	87.5	83.5	83.5	89.2	96.8	106	121	136	236	778	1105	852
65	921	1138	378	96.5	78.2	65.0	56.7	55.3	54.7	54.5	58.0	61.3	65.3	78.6	98.4	129	578	1171	980
70	992	1027	147	51.0	44.1	38.5	36.7	39.3	39.9	38.4	41.5	41.4	40.0	44.3	52.1	66.2	282	1107	1059
75	380	434	42.0	28.2	27.4	28.7	29.6	32.0	30.2	29.0	30.4	32.5	30.4	30.1	29.8	31.9	55.0	468	495
80	37.7	73.0	22.1	19.2	18.1	19.7	19.9	20.3	21.9	19.4	22.1	20.8	21.0	21.6	19.7	20.9	25.7	83.8	44.3
85	15.7	29.8	13.0	11.5	9.41	9.69	9.85	11.0	12.8	10.2	13.3	11.2	10.3	10.1	10.3	12.6	16.1	38.9	19.2
90	1.51	1.77	1.10	0.73	0.41	0.34	0.32	0.59	0.62	0.49	0.96	1.46	1.19	1.60	2.11	3.01	3.79	5.82	4.06
95	0.66	0.65	0.50	0.27	0.21	0.23	0.98	0.62	0.36	0.24	0.33	0.53	0.28	0.24	0.21	0.24	0.42	0.57	0.86
100	1.16	1.27	1.27	2.50	1.80	1.28	0.89	0.59	0.38	0.33	0.37	0.62	0.99	1.53	2.29	2.85	1.09	1.15	1.63
105	2.31	2.38	2.32	1.80	1.11	0.78	0.61	0.46	0.35	0.41	0.33	0.49	0.68	0.88	1.21	1.94	2.67	2.81	3.28
110	2.08	2.15	2.10	1.79	1.19	0.74	0.58	0.45	0.36	0.50	0.34	0.44	0.60	0.75	1.15	1.80	2.11	2.21	2.60
115	2.05	2.17	2.09	1.79	1.36	0.94	0.63	0.46	0.43	0.59	0.40	0.44	0.60	0.86	1.31	1.73	1.99	2.19	2.35
120	1.89	1.95	2.01	1.78	1.46	1.15	0.77	0.58	0.50	0.85	0.46	0.55	0.72	1.03	1.37	1.61	1.85	1.94	2.10
125	1.62	1.69	1.92	1.82	1.38	1.18	0.86	0.76	0.71	1.12	0.65	0.69	0.77	1.05	1.30	1.58	1.71	1.66	1.66
130	1.43	1.44	1.53	1.48	1.29	1.15	0.97	0.85	0.82	1.27	0.77	0.79	0.85	1.02	1.20	1.40	1.51	1.53	1.43
135	1.22	1.23	1.27	1.33	1.42	1.16	1.12	0.94	0.94	1.28	0.90	0.86	0.99	1.00	1.28	1.30	1.24	1.20	1.24
140	1.14	1.18	1.25	1.27	1.09	1.05	1.09	0.99	1.04	1.47	1.00	0.92	1.03	0.99	1.02	1.16	1.16	1.15	1.14
145	1.06	0.99	1.04	1.03	0.92	1.03	1.05	0.97	1.10	1.44	1.09	0.95	0.98	0.94	0.84	0.95	0.96	0.96	1.07
150	0.86	0.87	0.90	0.88	0.89	0.96	0.94	0.96	1.19	1.46	1.19	0.89	0.87	0.87	0.81	0.81	0.85	0.84	0.99
155	0.76	0.81	0.81	0.78	0.81	0.86	0.86	0.82	0.92	1.03	0.92	0.79	0.80	0.80	0.75	0.73	0.78	0.77	0.90
160	0.74	0.76	0.74	0.72	0.71	0.76	0.80	0.80	0.92	1.00	0.95	0.83	0.77	0.74	0.69	0.69	0.72	0.71	0.80
165	0.65	0.64	0.67	0.66	0.69	0.69	0.68	0.68	0.71	0.73	0.73	0.70	0.69	0.68	0.66	0.66	0.66	0.60	0.78
170	0.71	0.70	0.69	0.69	0.71	0.76	0.81	0.82	0.83	0.80	0.84	0.82	0.81	0.78	0.71	0.70	0.73	0.72	0.79
175	0.76	0.76	0.74	0.74	0.72	0.76	0.73	0.75	0.76	0.71	0.76	0.73	0.74	0.76	0.69	0.74	0.77	0.77	0.80
180	0.74	0.73	0.72	0.71	0.68	0.72	0.66	0.66	0.68	0.64	0.68	0.65	0.67	0.71	0.66	0.71	0.73	0.75	0.76

#### STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.





## STC Test Report

Date : 2014-05-28

Page 9 of 11

No. : DE111813

### TEST DATA

#### LUMINOUS DISTRIBUTION INTENSITY DATA

Table--2

UNIT: ×10cd

C(DEG) γ (DEG)	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350		
0	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330		
5	327	326	326	326	326	329	328	331	331	331	332	332	331	331	330	331	330		
10	329	327	327	327	332	337	338	344	345	347	344	340	336	332	329	329	329		
15	339	341	342	343	350	360	364	370	374	376	370	362	351	344	337	336	336		
20	355	359	366	372	381	389	390	397	402	401	395	387	379	369	355	349	347		
25	378	386	403	413	417	419	418	424	431	430	419	413	409	402	389	373	368		
30	407	426	452	459	465	463	459	462	469	469	458	453	451	445	429	405	390		
35	454	486	521	527	528	522	508	503	509	510	505	514	515	503	483	450	426		
40	523	577	624	636	623	607	576	551	544	554	574	602	609	603	574	522	483		
45	604	701	767	800	797	725	608	532	504	523	585	691	777	771	716	637	564		
50	696	839	954	1072	891	584	398	335	317	325	373	522	803	1035	924	796	659		
55	802	964	1210	1086	507	218	169	154	149	145	148	166	344	933	1175	945	755		
60	922	1082	1292	608	132	114	105	100	98.1	96.4	96.2	100	107	317	1117	1050	855		
65	1058	1146	999	126	63.3	56.9	55.2	54.9	54.5	54.1	53.0	53.7	56.2	72.3	672	1081	966		
70	1158	1031	292	44.8	38.5	37.4	40.6	41.3	40.0	41.5	38.6	36.5	35.6	39.6	127	856	1038		
75	525	260	36.6	27.7	26.9	27.8	34.3	31.4	30.7	30.6	32.5	27.7	26.6	27.0	30.6	177	441		
80	81.6	43.5	22.8	21.4	21.7	22.8	31.9	26.8	25.8	26.2	28.3	22.8	21.1	20.4	21.2	38.1	79.2		
85	30.3	23.7	13.5	11.1	11.1	11.6	21.4	14.2	11.4	14.4	19.1	12.1	10.9	10.7	12.0	20.5	28.1		
90	8.47	5.71	3.47	2.71	2.76	2.96	6.90	3.55	2.31	3.09	4.60	3.13	2.09	1.79	1.89	2.64	5.18		
95	0.75	0.32	0.23	0.23	0.23	0.27	1.07	0.34	0.31	0.36	0.62	0.27	0.24	0.24	0.25	0.49	0.92		
100	1.48	0.70	1.49	1.62	0.97	0.70	0.49	0.33	0.30	0.32	0.42	0.58	0.83	1.33	1.66	1.12	1.77		
105	3.15	2.42	1.56	1.09	0.82	0.61	0.47	0.34	0.40	0.34	0.43	0.54	0.69	0.89	1.36	2.38	2.98		
110	2.62	2.09	1.32	0.91	0.71	0.59	0.47	0.38	0.49	0.38	0.45	0.55	0.66	0.87	1.42	2.29	2.68		
115	2.33	2.00	1.36	0.91	0.70	0.59	0.49	0.43	0.55	0.44	0.47	0.58	0.66	0.91	1.51	2.20	2.42		
120	2.10	1.76	1.29	0.95	0.75	0.60	0.49	0.47	0.70	0.49	0.46	0.61	0.76	0.96	1.44	1.93	2.12		
125	1.65	1.49	1.28	1.01	0.78	0.62	0.63	0.54	0.73	0.57	0.62	0.64	0.83	1.06	1.30	1.59	1.71		
130	1.49	1.41	1.21	1.03	0.80	0.71	0.71	0.67	1.03	0.70	0.73	0.72	0.85	1.06	1.24	1.40	1.45		
135	1.25	1.20	1.15	1.03	0.81	0.82	0.73	0.78	1.11	0.79	0.78	0.86	0.86	1.07	1.12	1.31	1.29		
140	1.16	1.14	1.08	0.98	0.88	0.87	0.80	1.03	1.64	1.00	0.84	0.94	0.90	1.00	1.09	1.19	1.23		
145	1.07	1.02	0.99	0.91	0.89	0.89	0.88	1.04	1.50	1.07	0.96	0.96	0.90	0.92	1.01	1.07	1.12		
150	0.99	0.97	0.95	0.86	0.90	0.88	0.90	1.15	1.37	1.12	1.00	0.92	0.92	0.88	0.97	1.04	1.00		
155	0.90	0.91	0.89	0.80	0.85	0.86	0.87	0.99	1.05	1.03	0.91	0.88	0.88	0.82	0.92	0.97	0.97		
160	0.84	0.83	0.80	0.71	0.76	0.80	0.83	0.93	1.01	1.02	0.87	0.85	0.80	0.74	0.78	0.86	0.90		
165	0.77	0.79	0.78	0.71	0.71	0.77	0.77	0.76	0.78	0.80	0.79	0.77	0.77	0.75	0.68	0.79	0.81		
170	0.79	0.79	0.79	0.76	0.74	0.80	0.77	0.71	0.75	0.75	0.74	0.72	0.78	0.78	0.72	0.78	0.83		
175	0.79	0.80	0.77	0.73	0.73	0.77	0.74	0.70	0.72	0.66	0.72	0.71	0.73	0.77	0.71	0.75	0.84		
180	0.74	0.74	0.72	0.71	0.69	0.72	0.67	0.67	0.68	0.64	0.68	0.65	0.67	0.71	0.66	0.71	0.75		

#### STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## **STC Test Report**

Date : 2014-05-28

Page 10 of 11

No. : DE111813

### **Product Photographs**



### **STC (Dongguan) Company Limited**

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## **STC Test Report**

Date : 2014-05-28

Page 11 of 11

No. : DE111813

### **Product Photographs**



**\*\*\*\*\* End of Test Report \*\*\*\*\***

### **STC (Dongguan) Company Limited**

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)

Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.